





CITY OF LODI

PUBLIC WORKS DEPARTMENT


Street Sections



Cross Section 1



Cross Section 2
(Shown for legacy purposes only)



Cross Section 3




Sheet 1 of 2

Dr.	JP	No.	Date	Revision	Appr.	Approved By:	 Lyman Chang City Engineer RCE No. 53149	2/3/2021 Date	STD PLAN
Ch.	SN	1	2/05	ADDED CROSS SECTION 3					101
Date	2/21								



Section Dimension Table

<u>Street Classification</u>	<u>(A) R/W</u>	<u>(2xC) F-F</u>	<u>Min. C&S</u>	<u>Cross Section</u>	<u>Structural Section</u>
Minor Residential	50'	36'	5.5' Rolled	1	A
Standard Residential	55'	40'	5.5' Rolled	1	A
Minor Collector	60'	44'	5.5' Vertical	1	B
Major Collector	68'	52'	5.5' Vertical	1	B
Industrial	66'	52'	4.5' Vertical	1	B
Secondary Arterial Four-Lane Undivided	80'	64'	5.5' Vertical	1	B
Minor Arterial Four-Lane Divided	94'	78'	5.5' Vertical	1	B
Major Arterial Six-Lane Divided	118'	102'	5.5' Vertical	1	B
Minor Arterial w/ RW frontage wall	108'	78'	4.0' meandering SW w/ 0.5' Vertical curb	3	B



Structural Section

Notes:

1. See City Public Improvement Design Stds. Sec. 1 for general design requirements.
2. Widening at intersections to provide additional lanes may be required.
3. See Std. Plans 135 and 136 for Vertical and Rolled C,G&S respectively.
4. The area between the R/W and back of sidewalk and between face of walk and back of curb shall be graded to 0.02' per ft. Where wider sidewalk is required (ie. commercial areas, around hydrants, poles etc) sidewalk specifications apply.
5. Private use of the R/W subject to Encroachment Permit requirements and Design Standards Sections 1.400 & 1.500.
6. See Design Stds. Section 1.500 for curb & gutter type criteria.

Dr. JP	No.	Date	Revision	Appr.	Approved By:	 Lyman Chang City Engineer RCE No. 53149	2/3/2021 Date	STD PLAN
Ch. SN	1	2/05	ADDED MEANDERING WALK					101
	2	2/21	REMOVED 4' SIDEWALKS					
Date 1/21		2/21	THICKENED AC&AB SECTION A					